



Wood & Metal Paint

Colour Selection



Gloss and Matt selection



Vivasil Wood & Metal Primer solvent base is a undercoat coat application for any surface to be painted especially wood and metal as a protection and sealing unwanted stains and mildewcide. Vivasil Wood & Metal Primer will give a surface smooth to paint and filling imperfections in porous substrate. Vivasil Wood & Metal Primer are fast air drying enamel paint suitable for all applications over Metal and wood .Designed to be used as undercoat or basecoat for Vivasil Wood and Metal Paint and Vivasil Wood Coating.



Vivasil Wood & Metal Paint is a fast air drying gloss /matte enamel paint suitable for all applications over Metal and wood. Surface must properly primed with Vivasil Wood and Metal Primer before application. All new or already painted surfaces should be free from dust, grease and waxes.Stir before use. Place in cool & dry. Close tight after use. Available in 5 and 18 litres



Vivasil Wood Coating as mid-coat and gloss finish for wooden window frames, doors and other wooden structures. Can also be applied to cleaned and sanded alkyd paint surfaces, for indoor use. Surface must properly primed with Vivasil Wood Coating Primer before application.Stir before use. Place in cool & dry. Close tight after use. Available in 5 and 18 litres.



Vivasil WB-523 Wood & Metal Paint is a fast air drying gloss alkyd emulsion paint suitable for all applications over Metal and wood. Surface must properly primed with Vivasil Nano Touch Primer before application. All new or already painted surfaces should be free from dust, grease and waxes.Stir before use. Place in cool & dry. Close tight after use. Available in 5 and 18 litres



Vivasil 222 Water base Metal Oxide Primer is anti corrosive resistant, rust stabilizing primer used as direct application to bare rusty and iron Vivasil 222 Water base Metal Oxide Primer is a professional quality primer with excellent adhesion and prevent the spread of corrosion. Suitable for use on both interior and exterior ferrous metal surfaces also gives iron and steel surfaces a layer of protection, penetrates and stabilizes existing rust and creates barrier to prevent further rust.



Vivasil paint thinner is a solvent used to reduce thickness of oil based paints or clean up after their use.Vivasil paint thinner is however, highly flammable and should be handled with care.(Flammable solvent) Always keep the area where you are using the thinner well ventilated, wear safety goggles and gloves, and make sure to dispose of all paint thinners safely.



Vivasil Paint Remover Solvent Base is a stripping solvent that effectively removes paint and varnish from wood, metal, and masonry. Vivasil Paint Remover allows you to use it both indoors and outdoors.Vivasil Paint Remover penetrates and removes multiple layers in 15 minutes to 30 minutes to get to work and penetrate the project surface.



WOOD AND METAL COLOR COLLECTIONS



Ivory VS 10000 SP



Heritage VS 10006



Steel Grey VS 10012



Sun Flower VS 10001 SP



Suede VS 10007



Grey VS 10013



Lemon VS 10002 SP



Leather VS 10008



Ash Grey VS 10014



Sunrise VS 10003 SP



Wira Blue VS 10009 SP



Conifer VS 10015



Signal Red VS 10004 SP



Neptune VS 10010 SP



Spruce VS 10016



Honey VS 10005



Executive Green VS 10011

Also available in
White 9000
& Black 9100





Vivasil Dry & Seal Water Repellent Primer is available in water based Exterior & Interior Treatment for newly plastered and concrete surfaces. Uses as deep penetrating impregnator water repellent, designed to help control Efflorescences. Designed to use as undercoat for Vivasil Silicone Breathable Painting System. 1 coat are recommended. Spray or roller. Do not mix water. Available in 5 & 18 litres.



[Download Technical Datasheet at www.vivasil.com/products](http://www.vivasil.com/products)



Vivasil Silicone Sealer is a Exterior Waterbase primer for repainting purposes is used as sealer to locks all loose particles on the wall and to create greater adhesion on the substrate. and prevents powdery surfaces. Wash use waterjet high pressure 1500 psi before paint application. Its allow highly water vapour transmission system and saves Breathable paint coatings system. Available in 5 & 18 litres.



[Download Technical Datasheet at www.vivasil.com/products](http://www.vivasil.com/products)



Vivasil Breathable Silicone Paints (Weatherseals) is used as finishing paint coating to protect the surfaces of exterior and interior wall and ceiling. For long lasting and durable. Vivasil Breathable Silicones Paint are non toxic, waterbased, lead free and eco friendly products. Its breathable properties will prevent major water seepages into wall especially those with micro cracks and hair line cracks. Available in 5 & 18 litres.



[Download Technical Datasheet at www.vivasil.com/products](http://www.vivasil.com/products)



Vivasil Interior Luxuries Paints I-Silk (Washable, easy to clean) should always be applied before one coat of Vivasil Interior luxuries Sealer and to be continued with minimum of two finishing coats of Vivasil Interior Luxuries paints. All newly plastered walls should be allowed to dry completely or cure at least 21 days before painting works. Do not paint if the surfaces are wet. Matt and Glossy Finish Available in 5 & 18 litres.



[Download Technical Datasheet at www.vivasil.com/products](http://www.vivasil.com/products)



Interior Pro Emulsion Paint Finish is a hydro-soluble dispersion product based on high quality of acrylic polymers for ceiling and wall. The product is effective, high opacity and easy to use. The product has the possibilities of coloring limited to the basic shades of the Vivasil paints interior color cards. Surface must properly primed with Vivasil Interior Pro Sealer before paint application. Available in 5 & 18 litres.



[Download Technical Datasheet at www.vivasil.com/products](http://www.vivasil.com/products)



Vivasil Heat Reflective Exterior & Interior is a Waterbase Silicone technology paints. Its has Properties reduces solar heating up to 30 %, reduces air conditioning cost, highly water-repellent. Do not apply to damp or soiled substrates and not suitable for horizontal or sloping surfaces. Surface must properly primed with Vivasil Heat Reflective Primer before application. Available in 18 litres standard Exterior colour cards.



[Download Technical Datasheet at www.vivasil.com/products](http://www.vivasil.com/products)



Vivasil MS-Sil Silicate Paint is a waterbase Silicate technology paints, also known as silicate mineral paint or mineral paint. A highly UV stable product in market. Silicate paints do not form a layer but instead permanently bond to surface called silicification processes. Surface must properly primed with Vivasil MS-Sil Silicate Sealer 601 or 701 before application. Available in 18 litres standard colour selection cards.



[Download Technical Datasheet at www.vivasil.com/products](http://www.vivasil.com/products)



Vivasil Wood & Metal Paint (I-GLOSS) is a fast air drying gloss /matte enamel paint suitable for all applications over Metal and wood. Surface must properly primed with Vivasil Wood and Metal Primer before application. All new or already painted surfaces should be free from dust, grease and waxes. Available in 5, 18 litres and standard colours card.



[Download Technical Datasheet at www.vivasil.com/products](http://www.vivasil.com/products)



Vivasil Nano Touch Paint is a waterbase Nano Technology self organizing crosslink adhesion components gives the surface layered with hydrophobic properties. Vivasil Nano Touch Paint can be used on direct metal, wood, concrete, plastered surface and porous absorbent material. Surface must properly primed with Vivasil Nano Touch Sealer before application. Available in 18 litres standard colour selection cards.



[Download Technical Datasheet at www.vivasil.com/products](http://www.vivasil.com/products)

* If you have any paint related questions please call our customer careline at **03-8737 2495**

VIVASIL PAINTS (M) SDN. BHD.

38A Jalan Sentosa 3,
Taman Sentosa Sungai Jelok,
43000, Kajang, Selangor.
Email address : enquiry@vivasil.com
Website : www.vivasil.com
Facebook: [Vivasilpaints](https://www.facebook.com/Vivasilpaints)



Authorised Dealer